

WebForms for Marketers 8.0 Update 3

Sitecore WFFM Installation Guide

Installation guide for administrators and developers



Sitecore WFFM Installation Guide

Table of Contents

Chapter 1	Installing the Web Forms for Marketers Module	3
1.1	Installation	4
1.1.1	Prerequisites	4
1.1.2	The Installation Process	4
1.2	Multiserver Configuration	5
1.2.1	Configuring the CM server.....	5
1.2.2	Configuring the CD server	5
1.2.3	Configuring the Processing server	6
1.2.4	Aggregating the Reporting Database.....	7
1.3	How to Start Using the MVC Form Rendering	8

Chapter 1

Installing the Web Forms for Marketers Module

This chapter describes how to install the Web Forms for Marketers module.

This chapter contains the following sections:

- Installation
- Multiserver Configuration

Sitecore WFFM Installation Guide

1.1 Installation

You can download the Web Forms for Marketers (WFFM) package from the [Sitecore Developer Portal](#).

1.1.1 Prerequisites

- An instance running Sitecore XP 8.0 Update 3.
- The Web Forms for Marketers 8.0 Update 3 package. To download the package, visit <http://dev.sitecore.net/>.

1.1.2 The Installation Process

The Web Forms for Marketers module is distributed as a Sitecore package.

To install the module:

- On the **Launchpad**, click **Control Panel**, **Administration**, **Install a Package**.
or
- On the **Launchpad**, click **Desktop**, and then on the **Desktop**, click **Sitecore**, **Development Tools**, **Installation Wizard**.

The Installation Wizard will guide you through the installation process. Select the `Web Forms for Marketers 8.0 rev. 150429.zip` Sitecore package. Read and accept the license agreement when prompted.

When the installation is completed, perform the following post installation steps:

1. In the Restricting Placeholders wizard, define the list of placeholders which will be available when adding forms on layouts.
2. Publish content to the Web database.
3. Run the `[site root]\Website\Data\WFFM_Analytics.sql` file on the Reporting database of your current instance. This will create four additional tables in your reporting database.

Note

If you use xDB Cloud, you should skip this step, as the script is run automatically when a new xDB cloud set is created.

4. Add the following nodes to the `Web.config` file:

```
<add name="CaptchaImage" verb="*" path="CaptchaImage.axd"
type="Sitecore.Form.Core.Pipeline.RequestProcessor.CaptchaResolver, Sitecore.Forms.Core" />

<add name="CaptchaAudio" verb="*" path="CaptchaAudio.axd"
type="Sitecore.Form.Core.Pipeline.RequestProcessor.CaptchaResolver, Sitecore.Forms.Core" />
```

For IIS 6.x, add the nodes under the `configuration\system\web\httpHandlers` node. For IIS 7.x and later, add the nodes under the `configuration\system\webServer\handlers` node.

1.2 Multiserver Configuration

To use the WFFM module in multiserver environments, follow the instructions provided in this section for the CM, CD and Processing servers.

1.2.1 Configuring the CM server

For the CM server, follow the instructions in section [1.1.2 The Installation Process](#) to install the Web Forms for Marketers 8.0 rev.150429.zip package.

Check that the following sections in Sitecore.Forms.config exist on only one of the CM servers:

- o The <sitecore> section:

```
<!--HOOKS-->
<hooks>
    <!--remote events hook-->
    <hook type="Sitecore.Form.Core.WffmActionHook, Sitecore.Forms.Core"/>
</hooks>
```

- o The <events> section:

```
<!--Remote events handler-->
<event name="wffm:action:remote">
    <handler type="Sitecore.Form.Core.WffmActionHandler, Sitecore.Forms.Core"
method="OnWffmActionEventFired" />
</event>
```

Check that the following section in Sitecore.Forms.config is absent on every CM server:

- o The <settings> section:

```
<setting name="WFM.IsRemoteActions" value="true" />
```

To use the Processing server for your website, follow the instructions in section [1.2.3 Configuring the Processing server](#).

1.2.2 Configuring the CD server

To install WFFM on the CD server, use the Web Forms for Marketers CD X.X rev. 150429.zip package.

Note

This is not a Sitecore package. Do not use the Installation Wizard to install this package.

To install the module, extract Web Forms for Marketers CD X.X rev. 150429.zip to the \Website folder of the CD server.

To configure the module, perform the following steps:

5. In \Website\Web.config, add the following nodes:

```
<add name="CaptchaImage" verb="*" path="CaptchaImage.axd"
type="Sitecore.Form.Core.Pipeline.RequestProcessor.CaptchaResolver,
Sitecore.Forms.Core" />

<add name="CaptchaAudio" verb="*" path="CaptchaAudio.axd"
type="Sitecore.Form.Core.Pipeline.RequestProcessor.CaptchaResolver,
Sitecore.Forms.Core" />
```

For IIS 6.x, add the nodes under the configuration\system\web\httpHandlers node. For IIS 7.x and later, add the nodes under the configuration\system\webServer\handlers node.

6. Remove or disable the following sections on all CD servers:

- o The <sitecore> section:

Sitecore WFFM Installation Guide

```
<!--HOOKS-->
<hooks>
    <!--remote events hook-->
    <hook type="Sitecore.Form.Core.WffmActionHook, Sitecore.Forms.Core"/>
</hooks>
```

- o The `<events>` section:

```
<!--Remote events handler-->
<event name="wffm:action:remote">
    <handler type="Sitecore.Form.Core.WffmActionHandler, Sitecore.Forms.Core"
method="OnWffmActionEventFired" />
</event>
```

7. In the `\Website\App_Config\Include\Sitecore.Forms.Config` file:

- o Add the following node to the `<settings>` section:

```
<setting name="WFM.IsRemoteActions" value="true" />
```

- o Configure the following node according to the name of the connection string related to the target database. For example "web".

```
<setting name="WFM.MasterDatabase" value="web" />
```

To use the Processing server for your website, follow the instructions in section [1.2.3 Configuring the Processing server](#).

1.2.3 Configuring the Processing server

To use the Processing server in your environment, add the following files from the "Web Forms for Marketers CD 8.0 rev. 150429.zip" package to the `[site root]\Website\bin` folder:

- `\Website\bin\Sitecore.WFFM.dll`
- `\Website\bin\Sitecore.WFFM.Analytics.dll`
- `\Website\App_Config\Include\Sitecore.WFFM.Aanalytics.config`

Remove the following sections from the `Sitecore.Forms.config` file:

- o The `<sitecore>` section:

```
<!--HOOKS-->
<hooks>
    <!--remote events hook-->
    <hook type="Sitecore.Form.Core.WffmActionHook, Sitecore.Forms.Core"/>
</hooks>
```

- o The `<events>` section:

```
<!--Remote events handler-->
<event name="wffm:action:remote">
    <handler type="Sitecore.Form.Core.WffmActionHandler, Sitecore.Forms.Core"
method="OnWffmActionEventFired" />
</event>
```

- o The `<settings>` section:

```
<setting name="WFM.IsRemoteActions" value="true" />
```

To configure the module to work with the Processing server, on the CM and CD servers, in the `\Website\App_Config\Include\Sitecore.WFFM.Analytics.config` file, remove or disable the following group:

```
<group groupName="analytics.aggregation">
    <pipelines>
        <interactions>
            <processor
type="Sitecore.WFFM.Analytics.Processors.FormSummary.FormSummaryProcessor,
Sitecore.WFFM.Analytics" />
            <processor
type="Sitecore.WFFM.Analytics.Processors.FormEvents.FormEventsProcessor,
Sitecore.WFFM.Analytics" />
```

Sitecore WFFM Installation Guide

```
<processor  
type="Sitecore.WFFM.Analytics.Aggregation.Processors.FormStatisticsByContact.FormStatisticsByC  
ontactProcessor, Sitecore.WFFM.Analytics" />  
    </interactions>  
    </pipelines>  
</group>
```

1.2.4 Aggregating the Reporting Database

You must also configure aggregation for the reporting database.

For more information about this task, see the following Knowledge Base article:
<https://kb.sitecore.net/articles/282795>.

1.3 How to Start Using the MVC Form Rendering

To make the MVC form rendering work, before you start using it:

1. In the main layout, in the <head> section, add the following scripts.

```
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/jquery-1.8.2.min.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/jquery-ui-1.8.24.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/jquery.validate.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/jquery.validate.unobtrusive.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/Fields/sc.fields-unobtrusive.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/Fields/sc.fields-events-tracking.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/Fields/sc.fields-date.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/Fields/sc.fields-captcha.js"></script>
<script src="~/sitecore modules/Web/Web Forms for Marketers/scripts/mvc/Fields/sc.ajax-form.js"></script>
```

2. In the main layout, in the <head> section, add the following styles.

```
<link href="~/sitecore modules/Shell/Web Forms for Marketers/Themes/mvc/Fields/Default.css" rel="stylesheet">
<link href="~/sitecore modules/Shell/Web Forms for Marketers/Themes/mvc/Fields/Colors/Default.css" rel="stylesheet">
<link href="~/sitecore modules/Shell/Web Forms for Marketers/Themes/mvc/Fields/Custom.css" rel="stylesheet">
<link href="~/sitecore modules/Shell/Web Forms for Marketers/Themes/mvc/base/jquery.ui.all.css" rel="stylesheet">
```